



NFTAC

NATIONAL FIREBIRD & T/A CLUB

TECHNICAL SECTIONS Volume I

Reprints from the 1984 thru 1995 NFTAC *EAGLE*

Volume II, covering later publications also available from the NFTAC

**PUBLISHED BY THE NFTAC
5433 N. ASHLAND AVE., CHICAGO, IL 60640 U.S.A.**

Phone: (773) 769-7166

FAX: (773) 769-3240

email: tech@firebirdtaclub.com

NFTAC TECHNICAL SECTIONS VOLUME I

| <u>PUBLICATION</u> | <u>PAGE</u> |
|---------------------|-------------|
| Volume 1, Number 1 | 1 |
| Volume 1, Number 2 | 5 |
| Volume 2, Number 2 | 13 |
| Volume 2, Number 3 | 23 |
| Volume 3, Number 1 | 29 |
| Volume 3, Number 2 | 32 |
| Volume 3, Number 3 | 38 |
| Volume 4, Number 3 | 44 |
| Volume 5, Number 1 | 49 |
| Volume 5, Number 2 | 56 |
| Volume 5, Number 3 | 64 |
| Volume 6, Number 1 | 72 |
| Volume 6, Number 2 | 77 |
| Volume 7, Number 1 | 86 |
| Volume 7, Number 2 | 87 |
| Volume 8, Number 1 | 94 |
| Volume 9, Number 1 | 101 |
| Volume 9, Number 2 | 108 |
| Volume 9, Number 3 | 118 |
| Volume 10, Number 1 | 124 |
| Volume 10, Number 2 | 129 |
| Volume 11, Number 1 | 135 |
| Volume 11, Number 2 | 137 |

NOTE: Please note the ads that may appear here are reproduced as they originally appeared in that issue and therefore may be several years old and are not to be relied on for prices or information.

Nothing may be reproduced in whole or in part without the express written consent of the publisher. The views of contributing writers are their own and not necessarily the views of the NFTAC. Readers are warned in following any advice given and no liability either express or implied is assumed by the advice or opinions given by individual contributors or the NFTAC.

ARTICLE INDEX

Original Publication references in which NFC publication the article originally appeared:
Volume 1, Number 1 (1,1) Volume 9, Number 2 (9,2), etc.and if a question and answer (Q & A), its position.

| SUBJECT/ ARTICLE | ORIGINAL PUBLICATION | | | PAGE NUMBER THIS ISSUE |
|------------------------------------|-----------------------------|-------------|------------------|-----------------------------------|
| | ISSUE | PAGE | Q & A | |
| Brakes | | | | |
| Brakes | 2,2 | 14 | 1 | 13 |
| Brake Selection | 9,1 | 28 | | 107 |
| Warped Rotors | 10,2 | 30 | | 133 |
| Weak Brakes | 6,2 | 22 | 3 | 77 |
| Body/Exterior | | | | |
| Colors/Metallics | 3,2 | 22 | | 34 |
| Decals | 7,2 | 29 | 1 | 91 |
| Door Panels | 8,1 | 25 | 2 | 94 |
| Eagle Turbo Sticker | 6,2 | 30 | 1 | 85 |
| Hood Latch | 8,1 | 25 | 3 | 94 |
| Paint | 5,3 | 20 | | 69 |
| Paint Colors | 10,2 | 26 | 5 | 129 |
| Paint Tips | 9,1 | 25 | | 103 |
| Paint Touch Up | 9,3 | 26 | | 121 |
| Restoration Basics | 10,2 | 28 | | 131 |
| Rust | 6,2 | 29 | 2 | 84 |
| Rust | 11,2 | 26 | 3 | 138 |
| Stripes | 6,2 | 22 | 2 | 77 |
| Trunk Pull Down | 8,1 | 27 | 1 | 96 |
| White Paint Code | 6,1 | 13 | 1 | 73 |
| Window leaks | 2,2 | 14 | 1 | 13 |
| Carburetion/Fuel System | | | | |
| Bottom Line on Fuel | 10,1 | 30 | | 127 |
| Four Barrel Carburetor | 2,3 | 20 | | 22 |
| Fuel Injector Manifold | 11,2 | 26 | 6 | 138 |
| Fuel System (Carburetor) | 3,2 | 20 | | 32 |
| Injectors | 8,1 | 28 | 1 | 97 |
| Stock Carburetion | 2,2 | 15 | | 14 |
| Cooling and Heating Systems | | | | |
| A/C - Heater | 10,2 | 26 | 5 | 129 |
| Cooling System | 3,2 | 21 | | 33 |
| Cooling and Heating Systems | 4,3 | 26 | | 44 |
| Cooling Problem | 5,3 | 19 | | 68 |
| Heater | 7,2 | 31 | | 93 |
| Drive Train | | | | |
| Drive axle noise | 1,1 | 7 | | 1 |

| SUBJECT/ <u>ARTICLE</u> | ORIGINAL PUBLICATION | | | PAGE NUMBER <u>THIS ISSUE</u> |
|---------------------------------|----------------------|-------------|------------------|----------------------------------|
| | <u>ISSUE</u> | <u>PAGE</u> | <u>Q & A</u> | |
| Driveshaft and U-joints | 1,1 | 8 | | 2 |
| Posi Rear Identification | 11,2 | 26 | 1 | 138 |
| Posi Rear Installation | 5,3 | 17 | 2 | 66 |
| Rear Axle | 1.1 | 10 | | 4 |
| Rear End | 6,1 | 14 | 1 | 74 |
| Electrical | | | | |
| Assault on Batteries | 10,2 | 31 | | 134 |
| Battery Life | 5,2 | 24 | | 56 |
| Circuit Protection | 5,3 | 15 | | 65 |
| Dead Battery | 11,2 | 28 | | 140 |
| Distributor | 2,2 | 19 | | 18 |
| Electrical Problems | 9,1 | 22 | 1 | 101 |
| Ignition System | 2,2 | 19 | | 18 |
| Lighting | 5,3 | 14 | | 64 |
| Spark Plug Wires | 6,2 | 23 | 1 | 78 |
| Starters | 6,2 | 26 | 1 | 81 |
| Starter Problems | 3,3 | 31 | | 43 |
| Starting System | 3,1 | 27 | | 29 |
| Troubleshooting Starting System | 3,2 | 25 | | 37 |
| Turn Signal Switch | 8,1 | 30 | | 99 |
| Wipers | 10,2 | 26 | 1 | 129 |
| Emission Controls | | | | |
| Air Injector Reactor | 1,2 | 19 | | 10 |
| Federal Emissions Requirements | 9,3 | 28 | | 122 |
| Positive Crankcase Ventilation | 1,2 | 14 | | 5 |
| Thermostatic Air Cleaner | 1,2 | 16 | | 7 |
| Engine/Mechanical | | | | |
| Bearing | 10,1 | 25 | | 124 |
| Big Block | 11,2 | 26 | 4,5 | 138 |
| Black Box | 7,2 | 26 | 1 | 88 |
| Cams | 6,2 | 30 | 2 | 85 |
| Cam Specs | 11,2 | 25 | 1 | 137 |
| Cam Swap | 6,2 | 26 | 1 | 81 |
| Catalytic Converter | 6,2 | 23 | 1 | 78 |
| Compression Ratio | 9,3 | 23 | 3 | 119 |
| Computer Chips | 6,2 | 23 | 1 | 78 |
| Detonation | 6,1 | 16 | 1 | 76 |
| Engine, 428 | 5,3 | 17 | 1 | 66 |
| Engine Codes | 8,1 | 25 | 4 | 94 |
| Engine Installation | 6,2 | 22 | 1 | 77 |
| Engine Installation | 9,2 | 22 | 2 | 108 |
| Engine Interchangeability | 7,2 | 27 | 2 | 89 |
| Engine Modifications | 10,1 | 26 | 3 | 125 |

| SUBJECT/ <u>ARTICLE</u> | ORIGINAL PUBLICATION | | | PAGE NUMBER <u>THIS ISSUE</u> |
|----------------------------|----------------------|-------------|------------------|----------------------------------|
| | <u>ISSUE</u> | <u>PAGE</u> | <u>Q & A</u> | |
| Engine Noises | 3,2 | 21 | | 33 |
| Engine Performance | 3,1 | 29 | | 31 |
| Engine Rebuilding Device | 7,2 | 25 | 2 | 87 |
| Engine Swap | 9,3 | 22 | 1,2 | 118 |
| Engine Swaps | 9,1 | 22 | 2 | 101 |
| Engine Swaps | 10,2 | 26 | 4 | 129 |
| Gas Mileage | 2,2 | 14 | 1 | 13 |
| Gas Mileage Terrible | 6,2 | 26 | 1 | 81 |
| Head Interchangeability | 7,2 | 26 | 3 | 88 |
| Machine Shop | 11,2 | 25 | 2 | 137 |
| Master Cylinder | 7,2 | 29 | 1 | 91 |
| Motor Mounts | 6,2 | 29 | 2 | 84 |
| More Horsepower | 9,2 | 22 | | 108 |
| Original Motors? | 6,2 | 25 | 1 | 80 |
| Performance Improvements | 9,3 | 23 | 2 | 119 |
| Performance Improvements | 10,2 | 26 | 3 | 129 |
| Points | 11,1 | 28 | 1 | 136 |
| Power | 5,2 | 28 | | 60 |
| Power | 9,2 | 22 | 1 | 108 |
| Power | 11,1 | 28 | 3 | 136 |
| Power for In-line 6 | 5,1 | 27 | | 55 |
| Rebuilding Engine | 11,1 | 27 | 2 | 135 |
| Smoke | 8,1 | 26 | 1 | 95 |
| Stalling | 10,2 | 26 | 2 | 129 |
| Stumbling | 11,1 | 27 | 1 | 135 |
| Supercharger | 7,2 | 27 | 1 | 89 |
| Supercharger | 6,2 | 29 | 3 | 84 |
| Super Duty Engine | 11,2 | 26 | 7 | 138 |
| Thermostat | 6,2 | 23 | 1 | 78 |
| Turbochargers | 10,1 | 25 | | 124 |
| Vacuum Hose Hook Up | 6,1 | 15 | | 75 |
| Water Pump | 8,1 | 31 | | 100 |
| Exhaust | | | | |
| Dual Exhaust Installation | 5,3 | 17 | 2 | 66 |
| Gauges | | | | |
| Engine Oil Pressure Light | 3,2 | 20 | | 32 |
| Temperature Gauge | 9,1 | 23 | 1 | 102 |
| General | | | | |
| 1989 Trans Am GTA | 8,1 | 29 | 1 | 98 |
| 20th Anniversary T/A | 9,1 | 23 | 2 | 102 |
| Buying a Used Car | 3,3 | 26 | | 38 |
| Car Scrappage Programs | 10,1 | 28 | | 126 |
| Copyright, Eagle | 5,3 | 18 | | 67 |

| SUBJECT/ <u>ARTICLE</u> | ORIGINAL PUBLICATION | | | PAGE NUMBER <u>THIS ISSUE</u> |
|-------------------------------|----------------------|-------------|------------------|----------------------------------|
| | <u>ISSUE</u> | <u>PAGE</u> | <u>Q & A</u> | |
| Fire Extinguishers | 5,1 | 25 | | 53 |
| Firebird Formula | 10,1 | 26 | 1 | 125 |
| How to Spot That S. E. | 10,2 | 27 | | 130 |
| Membership Application | | | | 70 |
| Membership Information | | | | 120 |
| Parts | 9,2 | 25 | | 110 |
| Special Edition | 6,1 | 12 | 1 | 72 |
| T/A Value | 10,1 | 26 | 2 | 125 |
| Interior | | | | |
| Interior Parts | 11,1 | 28 | 2 | 136 |
| Numbers/Identification | | | | |
| Codes - 1974 Firebird | 5,2 | 31 | | 63 |
| Codes -1980 Firebird | 7,2 | 30 | 1 | 92 |
| Codes - 1979 Firebird | 7,2 | 30 | 3 | 92 |
| Codes - 1979 Firebird | 8,1 | 27 | 1 | 96 |
| Firebird Code Numbers | 9,1 | 26 | | 104 |
| More Firebird Code Numbers | 9,1 | 29 | | 106 |
| Serial Number Identification | 1,2 | 21 | | 12 |
| Oil/Lubrication | | | | |
| Motor Oil guide | 9,2 | 24 | | 109 |
| Oil Additives - Snake Oil | 9,2 | 26 | | 111 |
| Suspension/Handling | | | | |
| Handling Improvement | 11,2 | 27 | 2 | 139 |
| Power Steering | 9,1 | 22 | 3 | 101 |
| Rear End Ratio | 6,2 | 29 | 1 | 84 |
| Rack and Pinion Steering | 8,1 | 25 | 1 | 94 |
| Shocks | 6,2 | 22 | 3 | 77 |
| Stability | 6,1 | 12 | 2 | 72 |
| Steering | 5,1 | 20 | | 49 |
| Steering Response Improvement | 11,2 | 27 | 3 | 139 |
| Tires/Wheels | | | | |
| Rallye I and II Wheels | 11,2 | 26 | 2 | 138 |
| Tire Noise | 1,1 | 7 | | 1 |
| Wheel Scratches | 2,2 | 14 | | 13 |
| Transmission/Clutch | | | | |
| Clutch Performance | 9,2 | 32 | | 117 |
| Overdrive | 9,3 | 23 | 1 | 119 |